L Number	Hits	Search Text	DB	Time stamp
1	10	((4987595.URPN. or 6226749.URPN. or 6557104.URPN.) and @ad<20000331) and ((initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$5 or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:23
2	4	((4987595.URPN. or 6226749.URPN. or 6557104.URPN.) and @ad<20000331) and ((initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$5 or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5) with (plural$5 or multipl$5 or many or more or numerous or set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:07
3	1	((("6557104").PN.) or (("6226749").PN.) or (("4987595").PN.)) and ((initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$5 or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5) with (plural$5 or multipl$5 or many or more or numerous or set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:07
4	2	((("6557104").PN.) or (("6226749").PN.) or (("4987595").PN.)) and ((initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$5 or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:08
5	714	processor near6 ((protect$ or isolat$ or secur$ or "non-secure") near6 mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:20
6	72279	access$ near6 (check$ or determin$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:21
7	30	(processor near6 ((protect$ or isolat$ or secur$ or "non-secure") near6 mode)) same (access$ near6 (check$ or determin$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:21
8	348478	((memory or storage) near6 access$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:14
9	30	((processor near6 ((protect$ or isolat$ or secur$ or "non-secure") near6 mode)) same (access$ near6 (check$ or determin$))) and (((memory or storage) near6 access$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:22

10	9	(((processor near6 ((protect$ or isolat$ or secur$ or "non-secure") near6 mode)) same (access$ near6 (check$ or determin$))) and (((memory or storage) near6 access$))) and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:22
11	13375	processor near6 (protect$ or isolat$ or secur$ or "non-secure")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:21
12	113115	access$ near6 (check$ or determin$ or handl$ or rout$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:22
13	286	(processor near6 (protect$ or isolat$ or secur$ or "non-secure")) same (access$ near6 (check$ or determin$ or handl$ or rout$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:22
14	235	((processor near6 (protect$ or isolat$ or secur$ or "non-secure")) same (access$ near6 (check$ or determin$ or handl$ or rout$5))) and (((memory or storage) near6 access$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:22
15	133	(((processor near6 (protect$ or isolat$ or secur$ or "non-secure")) same (access$ near6 (check$ or determin$ or handl$ or rout$5))) and (((memory or storage) near6 access$))) and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:33
16	38872	((initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$5 or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:24
17	39	((((processor near6 (protect$ or isolat$ or secur$ or "non-secure")) same (access$ near6 (check$ or determin$ or handl$ or rout$5))) and (((memory or storage) near6 access$))) and @ad<20000331) and (((initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$5 or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:25
32	16	5896499.URPN.	USPAT	2004/08/20 12:33
33	15	5896499.URPN. and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 12:33

		10	((4987595.URPN. or 6226749.URPN. or 6557104.URPN.) and @ad<20000331) and ((initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$% or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:38
-		4	((4987595.URPN. or 6226749.URPN. or 6557104.URPN.) and @ad<20000331) and ((initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$% or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5) with (plural$5 or multipl$5 or many or more or numerous or set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:39
-		3	("6557104").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:41
-		2	("6226749").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:41
-		2	("4987595").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:42
-		1	((("6557104").PN.) or (("6226749").PN.) or (("4987595").PN.)) and ((initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$% or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5) with (plural$5 or multipl$5 or many or more or numerous or set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:43
-		2	((("6557104").PN.) or (("6226749").PN.) or (("4987595").PN.)) and ((initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$% or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:32
-		38	"5469556" "5802590"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:33
-		35	("5469556" "5802590") and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:37

L Number	Hits	Search Text	DB	Time stamp
-	6	(("6507904" "6292874" "6035374") or ((("6507904") or ("6292874") or ("6035374")).PN.)) and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:13
-	6	(("6507904") or ("6292874") or ("6035374")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 07:52
-	1272	713/200.ccls. and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:04
-	20	"6507904" "6292874" "6035374"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 07:58
-	0	"a secure processor for a computing device"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 07:59
-	0	"secure processor for a computing device"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 07:59
-	64	"secure processor" and "computing device"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:06
-	123	713/164.ccls. and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:34
-	3351	secure.ab. and processor.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:05
-	449	"secure processor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:06
-	130	(secure.ab. and processor.ab.) and "secure processor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:08
-	0	20020007456.URPN.	USPAT	2004/07/30 08:08
-	2	("20020007456").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:08
-	0	20020007456.URPN.	USPAT	2004/07/30 08:10
-	77	((secure.ab. and processor.ab.) and "secure processor") and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:18
-	18	4987595.URPN.	USPAT	2004/07/30 10:42
-	1	6226749.URPN.	USPAT	2004/07/30 10:41
-	3	6557104.URPN.	USPAT	2004/07/30 08:17

—	15	(4987595.URPN. or 6226749.URPN. or 6557104.URPN.) and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:19
—	7955078	initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:25
—	10069621	chipset or circuit or device or module or computer or chip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:20
—	3944285	secur$5 or protect$5 or confident$5 or privat$% or isolat$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:21
—	9514108	environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:22
—	6781129	stor$5 or memor$5 or disk or drive or sav$5 or keep$5 or sav$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:23
—	7942308	data or image or set$5 or file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:24
—	9266250	thread or process$5 or operation or application or call	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08:24
—	35488	(initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$% or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:27
—	8498075	plural$5 or multipl$5 or many or more or numerous or set	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:26
—	11305	(initial$5 or start$5 or configur$5 or set$5 or program$5 or load$5) with (chipset or circuit or device or module or computer or chip) with (secur$5 or protect$5 or confident$5 or privat$% or isolat$5) with (environment or network or communicat$5 or mode or entities or channel or execut$5 or function or process$5 or program$5) with (plural$5 or multipl$5 or many or more or numerous or set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:37

—	4	(("5469556") or ("5802590")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:33
—	198	(711/164.ccls. or 711/163.ccls) and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:35
—	2	(("5469556" "5802590") and @ad<20000331) and ((711/164.ccls. or 711/163.ccls) and @ad<20000331)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:35
—	13	5802590.URPN.	USPAT	2004/07/30 11:37
—	11	5802590.URPN. and @ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:38
—	5	"6226749"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:14
—	5	"6226749" and ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:19
—	1	6226749.URPN.	USPAT	2004/08/09 13:17
—	1	"5802590".PN.	USPAT	2004/08/09 13:18
—	13	5802590.URPN.	USPAT	2004/08/09 13:18
—	1	"5469556".PN.	USPAT	2004/08/09 13:18
—	19	5469556.URPN.	USPAT	2004/08/09 13:18
—	35	("6226749" or 6226749.URPN. or "5802590".PN. or 5802590.URPN. or "5469556".PN. or 5469556.URPN.) and ad<20000331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:19
—	3722	isolat$5 and secur$5 and chip and thread$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:21
—	0	(("6226749" or 6226749.URPN. or "5802590".PN. or 5802590.URPN. or "5469556".PN. or 5469556.URPN.) and ad<20000331) and (isolat$5 and secur$5 and chip and thread$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:20
—	267809	(isolat$5 or secur$5 or separat$5) and chip and (thread$ or process$5 or operation$ or task$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:28
—	3	(("6226749" or 6226749.URPN. or "5802590".PN. or 5802590.URPN. or "5469556".PN. or 5469556.URPN.) and ad<20000331) and ((isolat$5 or secur$5 or separat$5) and chip and (thread$ or process$5 or operation$ or task$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:29
—	234082	(isolat$5 or secur$5 or separat$5) and chip and (thread$ or process$5 or operation$ or task$5) and (manufact$ or design$5 or fabricat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:29

-		3	(("6226749" or 6226749.URPN. or "5802590".PN. or 5802590.URPN. or "5469556".PN. or 5469556.URPN.) and ad<20000331) and ((isolat$5 or secur$5 or separat$5) and chip and (thread$ or process$5 or operation$ or task$5) and (manufact$ or design$5 or fabricat$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:34